Student Activities Heat Illness Prevention

Resource Guide

Last Modified: 6/15/2022

Personal risk factor for heat illness: Factors such as an individual's age, degree of acclimatization, health, water consumption, caffeine consumption, and use of prescription medications that affect the body's water retention or other physiological responses to heat.

Preventative recovery period: A period

Special Event Coordinators

Special Event Coordinators should assist in identifying events where students may engage in outdoor activities with environmental risk factmen

Environmentalhealth and Safety

The Environment, Health, and Safety Office is responsible for providing annual training to all potentially affected employees and supervisors on the risks and prevention of heat illness, including how to recognize symptoms, and respond when they appear.

Risk Factors and Types of Heat Illness

Potential Risk Factors

Intensity of activity	This is the leading factor that can increase the core body temperature higher and faster than any other
Environmental Conditions	Heat and humidity combine for a high wet-bulb globe temperature that can quickly raise the heat stress of the body
Duration and frequency of activity	Minimize .96 20dy

The National Weather Services provides a Heat Index, which is a measurement of how hot it really feels when relative humidity is factored in with the actual air temperature

Heat Index Chart – Dry Heat

Wet Bulb Globe Temperature (WBGT) Guidelines

WBGT Reading	Level	Activity Modifications
Under 82.0^{0}F (27.8^{0}C)	Normal	Normal activities
82.0^0 F – 86.9^0 F (27.8^{0}C-30.5^{0}C)	Mild	Use discretion for intensity or prolonged exercise. Watch at-risk individuals carefully. Provide 2-3 separate rest breaks per hour of minimum duration of 5 minutes each
87.0^{0}F-89.9^{0}F (30.5^{0}C -32.2^{0}C	Moderative	Maximum activity time is 2 hours. Provide 3-4 separate rest breaks per hour of minimum duration of 5 minutes each.
((s) 1 0 . 5 (e) 9 6 1 2 . . 7 6 8	Heavy clothing or equipment should be removed during rest breaks.	) 1 0 5 (d) 9 2 6 . 7

Any student exhibiting any of the above-mentioned symptoms requires immediate attention. Students exhibiting symptoms of severe heat illness should be attended to by emergency services by calling 911 or dedicated campus emergency number. No student with symptoms of possible serious heat illness should be left unattended or sent home without medical assessment and authorization.

Faculty/coaches/coordinators/supervisors should be able to provide clear and precise directions to the activity site and should carry cell phones or other means of communication to ensure that emergency services can be called.

Training

Completion of training should be documented and

Records

All records pertaining to training, checklists, site assessments, and the like shall be maintained by the host department. Such records should be retained and accessible upon request and should be held in accordance CSU's Records Retention and Disposition policy.

Resources

National Athletics Trainers' Assocation Postion Statement: Exetional Heat Illness

National Collegiate Athletic Association Prevention of Heat Illness

National Collegiate Athletics Associatione retai